xpres INSTRUCTION & INFORMATION

ULTRA CUT TURBO XP3000 - 50cm Wide

Ultra Cut Turbo is a new polyurethane transfer film equipped with a special hotmelt for quick application at low temperatures. The transfer film has a soft touch, a matt surface finish and is suitable for multi colour transfer layering (excluding metallic and neon colours).

A4 samples are available free of charge upon request, for larger samples 1m rolls are available to purchase.

STEP BY STEP

STEP 1

Cut your design in mirror image **Film blade required.**

STEP 2

Weed away any excess material.

STEP 3

Place transfer face down onto the garment with the transparent backing on top and press for 5 seconds at 130°C. (see alternative temps and times under 'Transfer Settings').

STEP 4

Remove the transparent backing hot or cold.

ACCREDITATIONS

OEKO-TEX® STANDARD 100 HOHNSTEIN HTTI Betef of harmful subtances. www.oshies.com/standard100 REACH

DURABILITY	MICRONS	FINISH	ТАСК	PEEL	PU OR PVC
40 - 60°C	95	Matt	Very High	Hot	PU

PRODUCT INFORMATION

SIZE:	50cm wide x 1m, 5m & 25m rolls		
CUTTING FORCE:	Film Blade (0.25) from 30gf *		
TRANSFER LAYERING:	Yes (excluding metallics and fluorescents)		
	CUTTING FORCE:	CUTTING FORCE: Film Blade (0.25) from 30gf *	

SUITABLE FOR	
COTTON	
POLYESTER	
POLYESTER/COTTON	
UNCOATED NYLON	
ELASTANE (UPTO 30%)	

TRANSFER SETTINGS				
	Polyester / Polycotton:	130°C- 5 seconds		
	Cotton:	130°C - 5 seconds		
TIME & TEMP		140°C - 4 seconds		
		150°C - 3 seconds		
	Uncoated Nylon:	150°C - 5 seconds + 5 seconds		
PRESSURE	Medium			
PEEL	Hot or cold			

CARE INFORMATION
WASH - Polyester & Polycotton - 60°C / Cotton & Nylon - 40°C
CAN BE TUMBLE DRIED
DO NOT IRON
STORAGE (Store vertically in a dry room between 15-30°C)

* All force testing has been undertaken using a NEW blade on a Roland GS24. The force will increase with the age of the blade, therefore always test prior to use.

PLEASE NOTE: The sellers and manufacturers maximum obligation shall be to replace any product that has been proven to be defective. Neither the seller nor the manufacturer of Ultra Cut Turbo shall be liable for any injury direct or consequential, arising out of the use of, or inability to use this range. Ultra Cut Turbo has been tested using Kustom Kit garments, when applying to other garment brands results may vary, testing prior to purchase is recommended.

