

When using the TexPrint-R Mug Sheets by Beaver Paper, in conjunction with your Ricoh printer you will need to setup the Paper size settings within the printer driver as follows.

1. Browse to the **Devices and Printers** folder and then 'right click' on the Ricoh printer and select **printing Preferences**. The driver preferences window will appear. In the example below the Ricoh SG3110 has been selected.



2. Select your Sublimation pre-set setting, and then select the **Detailed Setting** tab.

| | Maintenance Configuration/About | | | | |
|------------------|--|-----------------------------|---------------|-------------------------------------|---|
| O must Satting | Menu: | | | | |
| Current setting | | 4 | 000 | 1 | |
| | Job Setup Basic F | aper | Edit | Finishing | |
| - | < | | | | 2 |
| | Basic | | Bestor | e Defaults | |
| | Qrientation: | Golor/Bla | ck and White | 6 | |
| | 🗇 Portrait 🗸 🗸 | a Colo | 6 | * | |
| | Botate by 180 Degrees | | | | |
| 1.45 | Copies:(1 to 999) | | | | |
| Sublimation | 1 | | | | |
| | | | | | |
| 2 | Document Size: | | | | |
| an | Qocument Size: A4 (210 x 297 mm) V | 9 | ustom Paper S | Size | |
| A | Çocument Sze: A4 (210 x 297mm) ∨ Reduce Enlarge: | ٩ | ustom Paper S | size | |
| A | Cocument Size: A4 (210 × 297 mm) → Bjeduce,Enlarge: Off | <u>د</u> | ustom Paper S | lize | |
| | Document Star: A4 (210 x 397 mm) ↓ Bjeduce,Enlørge: Off | v Vertual | ustom Paper S | size | |
| | Document Star: A4 (210 x 297 mm) Beduce/Enlarge: Off Comm. (25 to 400%) | Vertual (21 to 40 | ustom Paper S | ke | |
| Setting Surney | Occurrent Star: A4 (210 × 297 mm) w Beduce/Enlarge: 0ff Off (20 × 297 L) (21 × 400 %) (21 × 400 %) (31 % 400 %) (31 % 400 %) | Vertual (25 to 40 (30 | ustom Paper S | Size | |
| Settings Summary | Opcument Star: A4 (210 × 297 mm) Beduce,Enlarge: Off Scent. (25 to 400%) 100 100 | Vertual (21 to 40 100 | uston Paper S | ize trontali to 400%) 20 4 | |

Oakridge Park, Trent Lane Castle Donington, Derby DE74 2PY Phone:01332 855 085Web:www.xpres.co.ukE-mail:sales@xpres.co.ukSupport:www.xprestechnical.co.uk



3.Select the **Basic** tab and then select **Custom Paper Size**.



4 Change the Width to **110mm** and the Length to **240mm**, before clicking 'OK' to confirm the change.



5 Within the Driver click **Register Current Settings** and save the setting as **Sublimation Mug Template**.

| Register Current Settings as One Click Preset | | | | |
|---|--|-----|--|--|
| One Click Preset Name: | | | | |
| Comment: | | | | |
| _onmeric | | | | |
| | | | | |
| | | 100 | | |

Oakridge Park, Trent Lane Castle Donington, Derby DE74 2PY

Phone:01332 855 085Web:www.xpres.co.ukE-mail:sales@xpres.co.ukSupport:www.xprestechnical.co.uk



6.Now within your graphics software, when using the new pre-set, print your image centrally to the template as below.

| General Color | Composite Layout Prepress is | ? No Issues | | | 1 |
|----------------------------------|--|-------------------|------------------|------------|-----|
| Destination | | | | | |
| Printer | RICOH AficioSG3110DNw RPCS-R | ۷ | Preferences | | |
| Page | Match orientation (Portrait) | * | Use PPD | | |
| Status: Location: Comment: | Default printer; Ready LPT1: RPCS-R Driver (For Windows) | | Print to file | | |
| Print range | | Copies | | | |
| Current d | acument ODocuments age OSelection | Number of copies: | 1 | | |
| Pages: | 1 | حق طق حن | Collate | | |
| | Even & Odd 🛛 👻 | Print as bitmap: | 300 ‡ dpi | | |
| Print style: | CoreIDRAW Defaults | | Save As | | |
| | | | | HIE Page 1 | • • |
| Print Previe | sw 4i | OK Cancel | Apply Help | | |

Oakridge Park, Trent Lane Castle Donington, Derby DE74 2PY Phone:01332 855 085Web:www.xpres.co.ukE-mail:sales@xpres.co.ukSupport:www.xprestechnical.co.uk